

NOTES:

- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS.
- ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT ANSI/ASPS/ICC REGULATIONS
- HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE STEP.

EXCAVATION NOTES:

- i. ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE.
- SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
- 8. SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- 9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- 10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
- 11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.

ITEM	FILE NAME	DESCRIPTION	DRAWING#	PART#	QTY.
1	BOLT, PACK	BOLT, FLANGE, 3/8-16 X 1", PACK (50)	HPS1916	HPS1916	5
2	SBRACE	BRACE, FOLD OVER WITH TURNBUCKLE, STEEL, HPSFOB	HPSFOB	HPSFOB	20
3	PANEL, STRAIGHT	PANEL, 8' LONG, 1084, 700 SERIES	HPSE10884	00004966	2
4	PANEL, STRAIGHT	PANEL, 8' LONG, 700 SERIES	HPSE108P	00004961	9
5	PANEL, STRAIGHT	PANEL, 8' LONG, INLET, 700 SERIES	HPSE108I	00004969	3
6	PANEL, STRAIGHT	PANEL, 8' LONG, LIGHT, 700 SERIES HPSE1		00004962	1
7	HS110N	STEP, 8', TWIN SEAT, 4 TREAD	HS110N	HS110N	1
8	PANEL WEDGE	WEDGE 2 1/2" X 2 1/2" X 90°	HPSD6CA	00003541	4


REVISION HISTORY

DATE ECO

DESCRIPTION

			PAINEL, WEDGE	WEDGE, 2 1/2 A	1 Z 1/Z A 90	HESDOCA 000	003341 4
	WEIGHT: lbs VOLUME:	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DESIGNED BY: BUMPHREY	4/18/2013	HYDRA	POOLS	
άć	Inch ³	TOLERANCES DECIMALS: X ± .1 XX ± .01	DETAILED BY: RSANVICENTE	DETAILED DATE: 2/8/2018			
NUMBE	COLOR: NA HEAT TREAT:	XXX ± .001 XXXX ± .0005	LAST REVISED BY: hyeng	LAST REVISED DATE: 2/8/2018	LAYOUT, 24' X 40', REC BOTTOM, HS110N, LIGHT		
DRAWING 561	NA FINISH: NA	ANGULAR: X ± 0.5	MATERIAL:				
175	TEXTURE: NA	THIRD ANGLE PROJECTION			PART NUMBER:	SCA	
ENGINEERING I					000175	SHE	1:128 EET: 1 OF 3
_	Vorking\00017561						

REV.



NON-DIVING DIVING EQUIPMENT PROHIBITED R6" 4 PLCS

Area: 959.79ft ^2 Perimeter: 127.14ft **Volume = 28281 US gallons**

NOTES:


- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS. 2.
- ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT 3. ANSI/ASPS/ICC REGULATIONS
- HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE

EXCAVATION NOTES:


- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. 5
- SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- 9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- 10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
- 11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.



	WEIGHT: lbs VOLUME:	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DEGIGINED DT.	4/16/2013	HYDRA POOLS
άć	Inch ³	TOLERANCES DECIMALS: X ± .1	DETAILED BY: RSANVICENTE	DETAILED DATE: 2/8/2018	
NG NUMBE	COLOR: NA HEAT TREAT: NA	XX ± .01 XXX ± .001 XXXX ± .0005	LAST REVISED BY: hyeng MATERIAL:	LAST REVISED DATE: 2/8/2018	LAYOUT, 24' X 40', RECTANGLE, 6" RADIUS, SPORT BOTTOM, HS110N, LIGHT, 3- INLET, 2- 1084, 700 SERIES
1561 1561	FINISH: NA TEXTURE:	ANGULAR: X±0.5 THIRD ANGLE PROJECTION			
ENGINEERING DRAWING NUMBER: 00017561	NA ————————————————————————————————————				PART NUMBER: SCALE: 1:128 SHEET: 2 OF 3 A



ı		VOLUME:	DIMENSIONS ARE IN INCHES		4/18/2013	HYDRA POOLS
άć	Y	Inch ³	DECIMALS: X ± .1	DETAILED BY: RSANVICENTE	DETAILED DATE: 2/8/2018	
G LOWE	NOMBE	COLOR: NA HEAT TREAT: NA	XXX ± .001 XXXX ± .0005	LAST REVISED BY: hyeng MATERIAL:	LAST REVISED DATE: 2/8/2018	TITLE: LAYOUT, 24' X 40', RECTANGLE, 6" RADIUS, SPORT BOTTOM, HS110N, LIGHT, 3- INLET, 2- 1084, 700 SERIES
Š	56	FINISH: NA TEXTURE:	ANGULAR: X ± 0.5 THIRD ANGLE PROJECTION			
MICHELINICIAL	00017	NA				PART NUMBER: 00017561 SCA1:60 SHEET: 3 OF 3 A