

## NOTES:

- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS.
- ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT ANSI/ASPS/ICC REGULATIONS
- HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE STEP.

#### **EXCAVATION NOTES:**

- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE.
- SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- 9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- 10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
- 11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

# IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.


ITEM	FILE NAME	DESCRIPTION	CUSTOMER DRAWING#	VENDOR PART#	QTY.
1	PANEL, STRAIGHT	PANEL, 8' LONG, 1084, 700 SERIES	HPSE10884	00004966	1
2	PANEL, STRAIGHT	PANEL, 8' LONG, INLET, 700 SERIES	HPSE108I	00004969	3
3	PANEL, STRAIGHT	PANEL, 8' LONG, 700 SERIES	HPSE108P	00004961	2
4	PANEL, STRAIGHT	PANEL, 2' LONG, 700 SERIES	HPSE102P	00005483	4
5	PANEL, STRAIGHT	PANEL, 8' LONG, LIGHT, 700 SERIES	HPSE108L	00004962	1
6	PANEL, WEDGE	WEDGE, 2 1/2" X 2 1/2" X 90°	HPSD6CA	00003541	4
7	HS110N	STEP, 8', TWIN SEAT, 4 TREAD	HS110N	HS110N	1
8	SBRACE	BRACE, FOLD OVER WITH TURNBUCKLE, STEEL, HPSFOB	HPSFOB	HPSFOB	16
9	BOLT, PACK	BOLT, FLANGE, 3/8-16 X 1", PACK (50)	HPS1916	HPS1916	4

REVISION HISTORY

DESCRIPTION

- 1 - 1	WEIGHT: 40493320 lbs VOLUME: Inch³	TOLERANCES  DECIMALS: X ± .1  YY + .01	BUMPHREY DETAILED BY: JRITTENHOUSE	5/31/2016  DETAILED DATE: 4/4/2018  LAST REVISED DATE:	HYDRA POOLS
	HEAT TREAT:  FINISH:	XXX ± .001 XXXX ± .0005	LAST REVISED BY: LAST REVISED DATE: rhouston 4/4/2018		LAYOUT, 12' X 24' RECTANGLE, 6" RADIUS, 6' DEEP, HS110N, LIGHT, 1084, 3-INLET, 700 SERIES
ENGINEERII	DMWorking\00018	131			00018131 SCALE: 1:96 SHEET: 1 OF 3

REV.



**Area: 287.79ft ^2 Perimeter: 71.14ft** 

**Volume = 8991 US gallons** 

#### NOTES:


- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS.
- ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT ANSI/ASPS/ICC REGULATIONS
- HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE STEP.

### **EXCAVATION NOTES:**


- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE.
- SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- 9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- 10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
- 11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

#### **IMPORTANT NOTES:**

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.



	WEIGHT: 34032773 lbs VOLUME:	DIIVIENOIUNO ARE IN INCHES	BUMPHREY	5/31/2016		HYDRA POOLS	
άć	34032772700 Inch³	TOLERANCES DECIMALS: X ± .1 XX ± .01	DETAILED BY: JRITTENHOUSE	DETAILED DATE: 4/4/2018			
NUMBE	COLOR: NA HEAT TREAT:	XXX ± .001 XXXX ± .0005	LAST REVISED BY: rhouston	LAST REVISED DATE: 4/4/2018	HS110N, LIGHT, 1084, 3-INLET, 700 SERIES		≣EP, <b> </b>
31 31	NA FINISH: NA	ANGULAR: X ± 0.5	MATERIAL: Water				
	TEXTURE: NA	THIRD ANGLE PROJECTION			PART NUMBER:	SCALE:	SIZE:
ENGINEERING DRAWING NUMBER: 00018131						00018131 1:96 SHEET: 2 OF	⊣ДΙ
	MWorking\00018	131				20010101	



C:\PDMWorking\00018131