



## TUNGSTEN SMART-HEAT™ ELECTRIC

---

Our Tungsten Smart-Heat™ Electric series offers high performance radiant heating to outdoor and semi-enclosed spaces alike, with an industrial design style. It also boasts a high-temperature coating to suit all environments. With a stainless-steel construction, its durable element will emit a soft red glow to create a warm ambience in your space.



2000W & 4000W  
BLACK | WHITE



3000W & 6000W  
BLACK | WHITE

# SPECIFICATIONS

Reference the specification guide below to help you select the correct solution for your needs.

MODEL NUMBER	2000 SERIES	3000 SERIES	4000 SERIES	6000 SERIES
FUEL TYPE	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC
COLOUR	BLACK   WHITE	BLACK   WHITE	BLACK   WHITE	BLACK   WHITE
	65FT	100FT	130FT	160FT
HEAT AREA	230 - 240V/8.3A	230 - 240V/12.5A	230 - 240V/16.6A	230 - 240V/25A
MINIMUM FLOOR CLEARANCE	WALL 72"   CEILING 96"		WALL 72"   CEILING 96"	

## MOUNTING OPTIONS

CEILING MOUNT	✓	✓	✓	✓
WALL MOUNT	✓	✓	✓	✓
RECESSED   FLUSH MOUNT	✓	✓	✓	✓
CEILING POLE MOUNT	✓	✓	✓	✓
FREESTANDING	-	-	-	-

## CONTROL OPTIONS

ON   OFF	✓	✓	✓	✓
DIMMER	✓	✓	✓	✓
MASTER REMOTE *	✓	✓	✓	✓

\* Control up to six zones of heaters with unlimited heaters per zone from a single control. Works only with dimming controllers. Control operates within 100ft of heaters.


Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurement in this document are displayed in inches.

# DIMENSIONS


With a wide range of sizes available, find the ideal heater to suit your outdoor space.

## PROFILE

2000W & 4000W




3000W & 6000W




## CEILING RECESS


CEILING RECESS FRAME 2000W & 4000W




CEILING RECESS FRAME 3000W & 6000W



## CEILING RECESS




2000W & 4000W



MINIMUM  
CEILING  
CAVITY

3000W & 6000W




# MOUNT OPTIONS

With a wide array of mounting options, Bromic offers solutions to complete any décor and provide functionality for ambiance and comfort.

## CEILING & WALL MOUNT


### CEILING MOUNT CLEARANCE

4000W & 6000W




### CEILING POLE CLEARANCE


4000W & 6000W




2000W & 3000W



## WALL BRACKET



2000W & 3000W




4000W & 6000W


# HEATING REACH

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution to suit your outdoor heating needs.

## 2000W & 4000W SERIES



## 3000W & 6000W SERIES



## CONTROL OPTIONS



ON | OFF CONTROL



DIMMER CONTROL



MASTER REMOTE



EXTEND THE BOUNDARIES OF  
INSIDE SPACE, BY INCLUDING  
THE OUTDOORS. CONTROL THE  
CLIMATE IN YOUR NEXT PROJECT  
WITH BROMIC SMART-HEAT™.


**HIGH PERFORMANCE**

Matte Finish Stainless-Steel construction

**TOTAL MOUNTING  
FLEXIBILITY**

**ANGLE BRACKET**

Provides precise  
directional heat



**PATENTED  
PERFORMANCE**

Superior wind resistance

**UNIQUE DESIGN**

Honeycomb fascia facilitates  
precise heat distribution

**BROMIC.COM/HEAT**

ASIA PACIFIC | NORTH AMERICA | EUROPE

Bromic pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.